


STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO

HGT and ALT in ft
BRG are MAG (True)
TA 5000 ft AMSL

JÖNKÖPING TOWER 118.255


RNAV (GNSS) RWY 01
BENGI 3H, DEVNI 3H, NEGAS 3H.



RNAV 1

①
MAX IAS 230 kt not valid for
SID to BENGI and NEGAS

LEGEND
See GEN 2.3



Prescribed Coding of RNAV SID for RWY 01

BENGI 3H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-	-	-	RNAV 1
DF	BENGI	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – BENGI

DEVNI 3H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-230	-	-	RNAV 1
DF	GJ850	-	-	-	L	+2500	-230	-	-	RNAV 1
TF	DEVNI	-	176°(183.1°)	33.9	-	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above, MAX IAS 230 kt) – GJ850 (2500 ft or above, MAX IAS 230 kt) – DEVNI

NEGAS 3H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-	-	-	RNAV 1
DF	NEGAS	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – NEGAS