


STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO

HGT and ALT in ft
BRG are MAG (True)
TA 5000 ft AMSL

JÖNKÖPING TOWER 118.255

RNAV (GNSS) RWY 19
BENGI 3J, DEVNI 3J, NEGAS 3J.



Prescribed Coding of RNAV SID for RWY 19

BENGI 3J

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ700	Y	-	-	-	+1500	-230	-	-	RNAV 1
DF	GJ550	-	-	-	L	+2800	-230	-	-	RNAV 1
TF	BENGI	-	057°(064.3°)	19.8	-	-	-	-	-	RNAV 1

SID instruction: GJ700 (1500 ft or above, MAX IAS 230 kt) – GJ550 (2800 ft or above, MAX IAS 230 kt) – BENGI

DEVNI 3J

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ700	Y	-	-	-	+1500	-	-	-	RNAV 1
TF	DEVNI	-	179°(186.5°)	28.3	-	-	-	-	-	RNAV 1

SID instruction: GJ700 (1500 ft or above) – DEVNI

NEGAS 3J

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ700	Y	-	-	-	+1500	-230	-	-	RNAV 1
DF	GJ550	-	-	-	L	+2800	-230	-	-	RNAV 1
TF	NEGAS	-	037°(043.6°)	29.8	-	-	-	-	-	RNAV 1

SID instruction: GJ700 (1500 ft or above, MAX IAS 230 kt) – GJ550 (2800 ft or above, MAX IAS 230 kt) – NEGAS