

AD 2 AERODROMES**ESMV 2.1 AERODROME LOCATION INDICATOR AND NAME****ESMV – HAGSHULT****ESMV 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

- | | | |
|----|--|--|
| 1. | ARP coordinates and site at AD | 571732N 0140813E RWY centre point |
| 2. | Direction and distance from (city) | NNE 7 NM from Värnamo |
| 3. | Elevation/Reference temperature | 556 ft/info not avbl |
| 4. | Geoid undulation at AD ELEV PSN | 109 ft |
| 5. | MAG VAR/Annual change | 6° E 2020/+0.2 increasing |
| 6. | Administration, address, telephone, fax, AFS | MIL AD: FM/Swedish Armed Forces Bastroppen Box 305 331 01 Värnamo TEL: +46 (0)370 200 25 (Base unit) +46 (0)457 47 10 00 (F17) E-mail: f17@mil.se AFS: ESMVZTZX |
| 7. | Types of traffic permitted (IFR/VFR) | VFR. |
| 8. | Remarks | PPR for all traffic. Contact Airport manager TEL +46 (0)457 47 10 00 exch. E-mail: f17-flygplatschefen@mil.se |

ESMV 2.3 OPERATIONAL HOURS

- | | | |
|-----|---|---|
| 1. | AD Administration AD Operating hours | - PPR |
| 2. | Customs and immigration | - |
| 3. | Health and sanitation | - |
| 4. | AIS Briefing Office | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc |
| 5. | ATS Reporting Office (ARO) | - |
| 6. | MET Briefing Office | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc |
| 7. | ATS | Ref AIP SUP/NOTAM |
| 8. | Fuelling | - |
| 9. | Handling | - |
| 10. | Security | - |
| 11. | De-Icing | - |
| 12. | Remarks | Established at times announced on NOTAM. |

ESMV 2.4 HANDLING SERVICES AND FACILITIES

- | | | |
|----|--|-----------------|
| 1. | Cargo-handling facilities | - |
| 2. | Fuel/oil types | Fuel - Oil - |
| 3. | Fuelling facilities/discharge capacity | - |
| 4. | De-icing facilities | - |
| 5. | Hangar space for visiting ACFT | - |
| 6. | Repair facilities for visiting ACFT | - |
| 7. | Remarks | - |

ESMV 2.5 PASSENGER FACILITIES

- | | | |
|----|----------------------|---|
| 1. | Hotels | - |
| 2. | Restaurants | - |
| 3. | Transportation | - |
| 4. | Medical facilities | - |
| 5. | Bank and Post Office | - |
| 6. | Tourist Office | - |
| 7. | Remarks | - |

ESMV 2.6 RESCUE AND FIRE FIGHTING SERVICES

- | | | |
|----|---|-------|
| 1. | AD category for fire fighting | CAT 6 |
| 2. | Rescue equipment | - |
| 3. | Capability for removal of disabled aircraft | - |
| 4. | Remarks | - |

ESMV 2.7 SEASONAL AVAILABILITY – CLEARING

- | | | |
|----|-----------------------------|-----------------------|
| 1. | Types of clearing equipment | MIL standard |
| 2. | Clearance priorities | - |
| 3. | Remarks | RWY de-iced with UREA |

ESMV 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

- | | | |
|----|-------------------------------------|---|
| 1. | Apron surface and strength | Apron 3 CONC+ASPH PCN - Apron 5 ASPH PCN - |
| 2. | Taxiway width, surface and strength | - |
| 3. | ACL, location and elevation | - |
| 4. | VOR checkpoints | - |
| 5. | INS checkpoints | - |
| 6. | Remarks | - |

ESMV 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

- | | | |
|----|---|---|
| 1. | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of ACFT stands | - |
| 2. | RWY and TWY markings and LGT | RWY 04/22: Designator, THR, TDZ, CL and edges are day marked. RTHL, REDL, RENL. TWY - |
| 3. | Stop bars | - |
| 4. | Remarks | - |

ESMV 2.10 AERODROME OBSTACLES

| In Area 2 | | | | | |
|---------------------|-----------|---------------|----------|------------------------|---------|
| OBST ID/Designation | OBST type | OBST position | ELEV/HGT | Markings/ Type, colour | Remarks |
| a | b | c | d | e | f |
| Not available | | | | | |
| In Area 3 | | | | | |
| OBST ID/Designation | OBST type | OBST position | ELEV/HGT | Markings/ Type, colour | Remarks |
| a | b | c | d | e | f |
| Not available | | | | | |

ESMV 2.11 METEOROLOGICAL INFORMATION PROVIDED

- | | | |
|-----|---|--|
| 1. | Associated MET Office | STOCKHOLM/Arlanda |
| 2. | Hours of service MET Office outside hours | H24 |
| 3. | Office responsible for TAF preparation Periods of validity, interval of issuance | CIV TAF not produced |
| 4. | Type of landing forecast Interval of issuance | Not issued |
| 5. | Briefing/consultation provided | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc |
| 6. | Flight documentation Language(s) used | TAF, METAR, SIGMET, Upper air winds Swedish/English |
| 7. | Charts and other information available for briefing or consultation | SWC, WC, Nordic SIGWX Chart, Low level forecast |
| 8. | Supplementary equipment available for providing information | - |
| 9. | ATS units provided with information | HAGSHULT APP HAGSHULT TWR |
| 10. | Additional information (limitation of service, etc.) | Above info applicable to civil operations. MIL WX HX |

ESMV 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | True BRG and MAG BRG | Dimensions of RWY (m) | Strength (PCN) and surface of RWY and SWY | THR coordinates RWY end coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APCH RWY |
|---------------------------|-------------------------|--------------------------|---|--|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 04 | 043.20° GEO 037° MAG | 2020 x 40 | PCN - ASPH | 571709.13N 0140732.94E GUND 109 ft | THR 556 ft |
| 22 | 223.20° GEO 217° MAG | 2020 x 40 | PCN - ASPH | 571756.69N 0140855.55E GUND 109 ft | THR 555 ft |

| Slope of RWY-SWY | SWY dimensions (m) | CWY dimensions (m) | Strip dimensions (m) | OFZ | Remarks |
|---------------------|-----------------------|-----------------------|-------------------------|-----|---------------------------------|
| 7 | 8 | 9 | 10 | 11 | 12 |
| 04 | - | - | - | - | - |
| 22 | - | - | - | - | Arresting net beyond THR 04. |

ESMV 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|----------|----------|----------|---------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 04 | 2050 | 2050 | 2050 | 2050 | - |
| 22 | 2050 | 2050 | 2050 | 2050 | - |

ESMV 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT Type, LEN INTST | THR LGT Colour WBAR | VASIS (MEHT) | TDZ LGT LEN | RWY Centre Line LGT LEN, Spacing Colour INTST | RWY Edge LGT LEN, Spacing Colour INTST | RWY End LGT Colour WBAR | SWY LGT LEN, Colour |
|-------------------|--------------------------------|---------------------------|--------------------|----------------|---|---|----------------------------------|---------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 04 | - | Green | PAPI Left/2.86° | - | - | 2050/60 m White Caution zone 600 m yellow LIL/LIH | Red | - |
| 22 | MIL LGT 450 m LIL/LIH | Green | PAPI Left/2.86° | - | - | 2050/60 m White Caution zone 600 m yellow LIL/LIH | Red | - |

10 Remarks: RWY 22: EFAS

ESMV 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

- | | | |
|----|--|----------------------|
| 1. | ABN/IBN location, characteristics and hours of operation | - |
| 2. | LDI location and LGT Anemometer location and LGT | - - |
| 3. | TWY edge and centre line lighting | Edge: - CL: - |
| 4. | Secondary power supply/switch-over time | Available/15 sec |
| 5. | Remarks | - |

ESMV 2.16 HELICOPTER LANDING AREA

RWY

ESMV 2.17 ATS AIRSPACE

- | | | | |
|----|-----------------------------------|---|---|
| 1. | Designation and lateral limits | HAGSHULT CTR | 572532N 0141114E - 571943N 0142242E - 570926N 0140508E - 571517N 0135327E - 572314N 0140138E - 572532N 0141114E |
| 2. | Vertical limits | HAGSHULT CTR | <u>2000 ft AMSL</u> GND |
| 3. | Airspace classification | C | |
| 4. | ATS unit call sign Language(s) | HAGSHULT TOWER | Swedish/English |
| 5. | Transition altitude | 5000 ft AMSL | |
| 6. | Remarks | CTR is established during hours of TWR, times announced on NOTAM. | |

ESMV 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Channel/Frequency | Hours of operation | Remarks |
|---------------------|--------------------|-------------------|--------------------|-------------------------------|
| 1 | 2 | 3 | 4 | 5 |
| TWR | HAGSHULT TOWER | 136.250 | HX | VDF |
| | | 121.500 | HX | - |
| APP | HAGSHULT APPROACH | 121.150 | HX | - |
| | | 132.250 | HX | VDF By directive from ATS. |
| PAR | HAGSHULT PRECISION | 125.800 | HX | MIL operations only. |

ESMV 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid CAT of ILS/MLS (for VOR/ILS/MLS give VAR) | ID | Frequency | Hours of operation | Site of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|--|----|-----------|-----------------------|---|---|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| - | | | | | | |

ESMV 2.20 LOKALA TRAFIKFÖRESKRIFTER

NIL

LOCAL TRAFFIC REGULATIONS

NIL

ESMV 2.21 MINSKNING AV BULLERSTÖRNING

NIL

NOISE ABATEMENT PROCEDURES

NIL

ESMV 2.22 FLYGPROCEDURER

NIL

FLIGHT PROCEDURES

NIL

ESMV 2.23 ÖVRIG INFORMATION

NIL

ADDITIONAL INFORMATION

NIL

ESMV 2.24 TILLHÖRANDE KARTOR

Area chart (TMA)

ATC Surveillance Minimum ALT chart

VAC

RELATED CHARTS

ESMV 4-1

ESMV 4-91

ESMV 6-1