


INSTRUMENT APPROACH CHART – ICAO

THR ELEV 64 ft, AD ELEV 101 ft
 OCH are related to THR.
 BRG are MAG (True).
 ALT, HGT and ELEV in ft.


HALMSTAD TOWER	130.105
	135.055

RNP RWY 01

EGNOS Ch 41182 E 01A



TA 5000 ft AMSL RDH 50 ft Note: PAPI (3.25°) not aligned with procedure



Cat of ACFT	OCA (H)				Final approach	Distance FAF-MAPt 5.9 NM						
	A	B	C	D		Dist to RW01	5	4	3	2		
LPV	382(318)	394(330)	402(338)	413(349)	ALT	1710	1390	1070	750			
LNAV/VNAV	420(360)	430(370)	450(390)	460(400)	GS	kt	80	100	120	140	160	180
LNAV	520(460)				Rate of descent	ft/min	425	530	635	745	850	955

RNP RWY 01 via MT552

Path Desc	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Altitude	Speed	VPA/RDH	Rec Navaid	Navigation Specification
IF	MT552	-	-	-	-	+2600	-	-	-	RNP APCH
TF	MT800	-	272°(276.3°)	5.0	-	+2000	-210	-	-	RNP APCH

RNP RWY 01 via ABVUR

Path Desc	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Altitude	Speed	VPA/RDH	Rec Navaid	Navigation Specification
IF	ABVUR	-	-	-	-	+2600	-	-	-	RNP APCH
TF	MT800	-	002° (006.2°)	3.0	-	+2000	-	-	-	RNP APCH

RNP RWY 01 via MT803

Path Desc	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Altitude	Speed	VPA/RDH	Rec Navaid	Navigation Specification
IF	MT803	-	-	-	-	+2600	-	-	-	RNP APCH
TF	MT800	-	092° (096.1°)	5.0	-	+2000	-210	-	-	RNP APCH

Path Desc	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Altitude	Speed	VPA/RDH	Rec Navaid	Navigation Specification
IF	MT800	-	-	-	-	+2000	-	-	-	RNP APCH
TF	MT801	-	002° (006.2°)	5.0	-	@2000	-	-	-	RNP APCH
TF	RW01	Y	002° (006.2°)	5.9	-	@114	-	-3.0/50	-	RNP APCH
CF	MT502	Y	002° (006.2°)	3.7	-	-	-210	-	MF	RNP APCH
DF	IRBEV	Y	-	-	L	+2500	-	-	-	RNP APCH
HM	IRBEV	Y	002° (006.2°)	-	L	+2500	-200	-	-	RNAV 1

FAS Data Block

RNP RWY 01

Input data

Operation Type	0
SBAS Provider	1
Airport Identifier	ESMT
Runway	1
Runway Direction	0
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E01A
LTP/FTP Latitude	564051.6100N
LTP/FTP Longitude	0124905.5500E
LTP/FTP Ellipsoidal Height (metres)	56.4
FPAP Latitude	564204.2900N
Delta FPAP Latitude (seconds)	72.6800
FPAP Longitude	0124919.9100E
Delta FPAP Longitude (seconds)	14.3600
Threshold Crossing Height	50.00
TCH Units Selector	0
Glidepath Angle (degrees)	3.00
Course Width (metres)	105.00
Length Offset (metres)	0
HAL (metres)	40.0
VAL (metres)	50.0

Output data

Data Block	10 14 0D 13 05 01 00 00 01 31 30 05 34 29 53 18 1C 40 80 05 34 16 D0 37 02 30 70 00 F4 01 2C 01 64 00 C8 FA 34 30 BC B9
Calculated CRC Value	3430BCB9

Required Additional Data

ICAO Code	ES
LTP/FTP Orthometric Height (metres)	19.5
FPAP Orthometric Height (metres)	25.7