


STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO


HGT and ALT in ft
BRG are MAG
TA 5000 ft AMSL

SUNDSVALL TOWER	129.555
SUNDSVALL ATIS	127.405

RNAV (GNSS) SID RWY 16



LEGEND
See GEN 2.3



Prescribed Coding of RNAV SID for RWY 16

DEGED 1G

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	NN710	-	-	-	R	-	-	-	-	RNAV 1
TF	DEGED	-	224°(231.2°)	22.2	-	-	-	-	-	RNAV 1

SID instruction: NN600 – NN710 – DEGED

FOXSA 1G

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	FOXSA	-	-	-	-	-	-	-	-	RNAV 1

SID instruction: NN600 – FOXSA

GAJPA 1G

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	GAJPA	-	-	-	L	-	-	-	-	RNAV 1

SID instruction: NN600 – GAJPA

SINNU 1G

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	NN710	-	-	-	R	-	-	-	-	RNAV 1
TF	SINNU	-	268° (275.3°)	21.7	-	-	-	-	-	RNAV 1

SID instruction: NN600 – NN710 – SINNU