


STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO

HGT and ALT in ft
BRG are MAG (True)
TA 5000 ft AMSL

JÖNKÖPING TOWER 118.255

RNAV (GNSS) SID RWY 01



Prescribed Coding of RNAV SID for RWY 01

BENGI 2H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CF	GJ400	Y	013°(018.1°)	3.8	-	+1500	-	-	JON	RNAV 1
DF	BENGI	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – BENGI

DEVNI 2H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CF	GJ400	Y	013°(018.1°)	3.8	-	+1500	-230	-	JON	RNAV 1
DF	GJ850	-	-	-	L	+2500	-230	-	-	RNAV 1
TF	DEVNI	-	178°(183.1°)	33.9	-	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above, MAX IAS 230 kt) – GJ850 (2500 ft or above, MAX IAS 230 kt) – DEVNI

NEGAS 2H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CF	GJ400	Y	013°(018.1°)	3.8	-	+1500	-	-	JON	RNAV 1
DF	NEGAS	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – NEGAS