


INSTRUMENT APPROACH CHART – ICAO

THR ELEV 98.6 ft, AD ELEV 138 ft
 OCH are related to THR.
 Circling OCH are related to AD ELEV.
 BRG are MAG
 ALT, HGT and ELEV in ft.


ARLANDA TOWER 118.505/
125.130/128.730
ARLANDA ATIS ARR 119.005
STOCKHOLM APPROACH 123.755

ILS or LOC RWY 01L



TA 5000 ft AMSL RDH 56.1 ft Special Com Failure Procedures see ESSA AD * Timing not authorized for defining the MAPt

OM replaced by SSA DME 4.0
 MM replaced by SSA DME 0.8



Cat of ACFT	OCA (H)					Final approach	LOC Distance FAF-MAPt 6.8 NM*							
	A	B	C	D	DL		DME SSA NM	7	6	5	4	3	2	
Straight-in Approach	Cat I	240 (142)	249 (151)	259 (161)	272 (174)	274 (176)	ALT	2320	2010	1690	1370	1050	730	
	Cat II	150 (52)	159 (61)	172 (74)	185 (87)	187 (89)	GS	kt	80	100	120	140	160	180
	LOC	510 (410)					Time	min:s	5:04	4:03	3:23	2:54	2:32	2:15
Cat III B Approved						Rate of descent	ft/min	425	530	635	745	850	955	