


JÖNKÖPING

**STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO**

HGT and ALT in ft
BRG are MAG (True)
TA 5000 ft AMSL

JÖNKÖPING TOWER 118.255

RNAV (GNSS) RWY 01
BENGI 3H, DEVNI 3H, NEGAS 3H.



CHANGE: ESR204A and ESR204B remark removed

JÖNKÖPING**Prescribed Coding of RNAV SID for RWY 01****BENGI 3H**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-	-	-	RNAV 1
DF	BENGI	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – BENGI**DEVNI 3H**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-230	-	-	RNAV 1
DF	GJ850	-	-	-	L	+2500	-230	-	-	RNAV 1
TF	DEVNI	-	176°(183.1°)	33.9	-	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above, MAX IAS 230 kt) – GJ850 (2500 ft or above, MAX IAS 230 kt) – DEVNI**NEGAS 3H**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	GJ400	Y	-	-	-	+1500	-	-	-	RNAV 1
DF	NEGAS	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: GJ400 (1500 ft or above) – NEGAS