

**AERODROME CHART - ICAO**

TWR 130.105

**HALMSTAD**

ARP: 564127N 0124912E

AD ELEV: 101 ft

LEGEND See GEN 2.3

Dimensions in m.  
ELEV in feet.  
Bearings are magnetic.


RWY/TWY markings/lightings, see ESMT AD 2.9.  
Declared Distances, see ESMT AD 2.13  
Approach and Runway lighting, see ESMT AD 2.14.

VAR 5° E 2025  
Annual change +0.1°

THR	BRG	THR POS, GUND	Surface, Bearing Strength	THR ELEV TDZ ELEV	VASIS (MEHT)
01	001°	564051.49N 0124905.53E GUND 120 ft	ASPH PCN 45 F/C/X/T	THR 64 ft	PAPI LEFT /3.25° (56 ft)
19	181°	564204.39N 0124919.93E GUND 120.3 ft	ASPH PCN 45 F/C/X/T	THR 84.2 ft TDZ 101.5 ft	PAPI LEFT /3.00° (51 ft)
06	047°	564103.45N 0124825.93E GUND 120 ft	GRASS	THR 62 ft	-
24	227°	564115.50N 0124854.21E GUND 120 ft	GRASS	THR 70 ft	-

Apron	Surface, Bearing Strength
1	ASPH PCN 45 F/C/X/T
CIV	ASPH PCN 45 F/C/X/T
EAST	CONC PCN 45 F/C/X/T

TWY	Surface, Bearing Strength	Width
A	CONC PCN 25 F/C/X/T	10 m
C	ASPH PCN 45 F/C/X/T	23 m
D	CONC PCN 25 F/C/X/T	15 m
F	CONC PCN 25 F/C/X/T	10 m
M	ASPH PCN 45 F/C/X/T	15 m
N	ASPH PCN 45 F/C/X/T	15 m
W	ASPH/GRASS	7.5 m



CHANGE: VAR. RESA. Editorial